


Postal: PO Box 105, Upper Coomera, QLD 4209


Phone: 07 5538 3611

**Email:** sales@ledlightingaustralia.net.au **Web:** www.ledlightingaustralia.net.au

# LED LIGHTING AUSTRALIA-50W-FLOOD LIGHT Specification









Postal: PO Box 105, Upper Coomera, QLD 4209

Phone: 07 5538 3611

**Email:** sales@ledlightingaustralia.net.au **Web:** www.ledlightingaustralia.net.au

#### Flood Light (50W)

#### **Parameter:**

3 Type: FLOOD-50W3 Light source: LED

3 Power: 50W

3 Work voltage:

AC(85V-265V)/(50-60HZ)

3 Power factor(PF): >0.9

3 Light efficiency: >60lm/w

③ Lumens: >3000LM

3 No UV or IR light radiation

③ Fixture efficiency: >90%

3 View angle: 140°

3 Color instruction: >80

③ Color temperature(CCT):

2700-7000K

3 Life time: >50,000 hrs

3 Luminance decrease: keep lighting 1000hours decrease1%

③ IP grade: IP65③ CE certification④ Net weight: 3.5kg

3 Dimension of the product: 287\*236\*160mm

3 Dimension of the external box: 655\*380\*290mm

3 Quantity (PCS): 4 pcs in a carton

### **Typical Applications:**

- ③ Energy Saving Programs
- 3 exterior of building light
- 3 on the bill board




Postal: PO Box 105, Upper Coomera, QLD 4209

Phone: 07 5538 3611

**Email:** sales@ledlightingaustralia.net.au **Web:** www.ledlightingaustralia.net.au

#### **Photometric Results:**



## **Illuminance Measurement:**

